MYCOLOGIA

OFFICIAL ORGAN OF THE MYCOLOGICAL SOCIETY OF AMERICA

VOLUME XLVI, 1954

Consisting of V + 861 Pages, Including Figures

TABLE OF CONTENTS

No. 1. JANUARY-FEBRUARY

The colony, Charles Thom	1
K. Georg	9
Lipomyces starkeyi on the skin surface of the human body, G. H. CONNELL, C. E. SKINNER AND R. C. HURD	12
A new species of Streptomyces, C. W. Hesseltine, J. N. Porter, N. Deduck,	12
MARIE HAUCK, N. BOHONOS AND J. H. WILLIAMS	16
The toxicity of certain species of Amanita to guinea pigs, KIKI FRERET COOK .	24
Effect of light on color in Dacrymyces, Thomas J. Bulat	32
Ascocybe, a new genus of lower Ascomycetes, Doreen E. Wells	37
GILMAN	52
Some leafspot fungi on western Gramineae. VII, RODERICK SPRAGUE	76
Three new species of Helicosporae, ROYALL T. MOORE	89
Some Myxomycetes from Panama and Costa Rica, ARTHUR L. WELDEN	93
	100
Taxonomic differentiation between Ascobolus stercorarius and A. furfuraceus, LINDSAY S. OLIVE	105
Notes and brief articles	110
Reviews	124
No. 2. MARCH-APRIL	
Mechanism of action of copper 8-quinolinolate, RICHARD E. VICKLUND, MILTON	
MANOWITZ AND VINCENT J. BAGDON	133
The sensitization of ascospores to chemical activators by heat treatment,	
Alfred S. Sussman Spore germination in Ustilago zeae as influenced by KH ₂ PO ₄ , Thor Kom-	
MEDAEL The parasitic growth phase of Coccidioides immitis in culture, N. F. CONANT	151
	157
Studies of the creosote fungus, Hormodendrum resinae, DAVID H. MARSDEN	
Culture studies in the genera Pleospora, Clathrospora and Leptosphaeria. II, EMORY G. SIMMONS	
Sexual reproduction in Gonapodya, Robert M. Johns and R. K. Benjamin . 2	
Taxonomic studies in the genus Coccospora, SAMUEL C. DAMON AND MARY	
H. Downing	209
Morphology of spore forms and heteroecism in Puccinia cacao, M. J. THIRU-	
MALACHAR AND M. J. NARASIMHAN	
Polyporus montagnei and Cyclomyces greenei, Robert L. Gilbertson	229
W. A. CAMPBELL 2	234

Observations on Tilletia cerebrina, W. N. Siang	238
E. S. Beneke	245
The genus Cordyceps and Fries's Observationes, Donald P. Rogers	248
Notes and brief articles	
Reviews	
Reviews	231
No. 3. MAY-JUNE	
Microbiological estimation of antifungal blood levels following administration of fungicides, J. E. Tarbet and T. H. Sternberg	263
Inorganic nutrition of Myrothecium verrucaria, Richard T. Darby and G. R. Mandels	276
Antagonistic activity of Chaetomium globosum against fungi, JEAN CUMMINGS	
Host reaction, host-parasite relationship, hosts, and taxonomic criteria in	
Synchytrium, John S. Karling	293
Soil microfungi in relation to the hardwood forest continuum in southern	
Wisconsin, H. D. Tresner, M. P. Backus and J. T. Curtis	314
Isolation of Myxotrichum and Gymnoascus from the lungs of animals,	224
CHESTER W. EMMONS	
Ascogonia and spermatia of Stereocaulon, George Thomas Johnson	
Spot anthracnose of Chinese holly, A. G. PLAKIDAS	346
Additional species of Uredinales from Colombia, FRANK D. KERN AND H. W.	
THURSTON, JR.	354
The section Genevensis of the genus Mucor, C. W. HESSELTINE	
An index to C. L. Shear's Mycological Notes I-IX, EDITH K. CASH	
William Chambers Coker, John N. Couch and Velma D. Matthews	372
Notes and brief articles	384
Reviews	389
No. 4. July-August	
Interspecific hybrids and the cytogenetics and cytotaxonomy of Euallomyces,	
RALPH EMERSON AND CHARLES M. WILSON	393
The effect of temperature and nutrients upon spore germination in the oak wilt fungus, Charles L. Fergus	435
The influence of concentrated substrates on the diameter attained by the fungus	142
The fungistatic barrier effect of S-coated cotton used as vial plugs, SARA	
BACHE-WIIG	13/
Antimycotic effects of an extract of catalpa, Robert J. McGray and E. S.	142
McDonough	103
Nuclear phenomena in the basidia and basidiospores of Omphalia flavida,	170
LUIS SEQUEIRA	70
AND BRUCE R. DREISINGER	84
Perennial polypores of North America II. Fomes with colored context, hya-	100
line spores, Josiah L. Lowe 4	
Studies in the genus Clathrospora, L. E. WEHMEYER 4	98

TABLE OF CONTENTS	v
Permanent unstained mounts of fungi, ALEXANDER BAKERSPIGEL	523
Notes and brief articles	
Reviews	536
No. 5. September-October	
The production of ethylene by Penicillium digitatum. Charles L. Fergus Synthesis of riboflavin by Ashbya gossypii grown in a synthetic medium, J. J.	
GOODMAN AND ROSALIE REARDON FERRERA. Three species of Eccrinales inhabiting the hindguts of millipeds, with com-	564
North American species of Geoglossum and Trichoglossum, E. B. Mains	
Tropical soil fungi, W. M. FARROW A description of a new species of Achlya with some observations on its physiol-	
ogy, A. W. Ziegler and R. H. Gilpin The perfect stages of Marssonina rhabdospora and Septogloeum rhopaloideum,	
G. E. THOMPSON	
A new genus of Moniliaceae, S. B. Saksena	
HARRY K. PHINNEY AND JOHN R. HARDISON	
Notes and brief articles	
Reviews	689
No. 6. November-December	
Growth of fungi on three sources of nitrogen, Joseph Hacskaylo, Virgil	
GREENE LILLY AND H. L. BARNETT	691
Concerning the nutrition of Apodachlya brachynema, Robert H. Gilpin Studies on toddy yeast, Majeed Ahmad, A. Razzaque Chaudhury and K. U.	
Анмар	708
Differentiation of species of Taphrina in culture. Utilization of carbon com-	
pounds, A. J. Mix	721
The relationships between Actinomyces bovis and Lactobacillus bifidus, H. A.	
Frank and C. E. Skinner	728
Cellular mechanics, taxonomy and evolution in the Uredinales and Ustilagi- nales, D. B. O. SAVILE	736
Some hyphomycetes that capture eelworms in southern states, CHARLES	
Drechsler	762
Taxonomic notes on Tuberales, Helen M. Gilkey	
Two species of Galzinia from the southern Appalachians, Lindsay S. Olive 7	
Volutella species on alfalfa, John E. Chilton 8	
An undescribed species of Piricularia on sedge, E. S. LUTTRELL	
The genus Arthrinium, Wm. Bridge Cooke	
Life history and relationship of the rusts of Sparganium and Acorus, J. A.	
PARMELEE AND D. B. O. SAVILE	823
Notes and brief articles 8	
Index to Volume XLVI	844

INDEX TO VOLUME XLVI*

INDEX TO AUTHORS AND TITLES

Ahmad, K. U. See Ahmad, Chaudhury and Ahmad 708

Ahmad, Majeed, Chaudhury, A. Razzaque, and Ahmad, K. U. Studies on toddy yeast 708

Ainsworth, G. C. Herbarium specimens of dermatophytes 110

- and Georg, Lucille K. Nomenclature of the faviform Trichophytons 9

Alexopoulos, Const. J., and Beneke, E. S. A new species of Comatricha from Jamaica 245

Bache-Wiig, Sara. The fungistatic barrier effect of "S-coated" cotton used as vial plugs 457

Backus, M. P. See Tresner, Backus and Curtis 314

Bagdon, Vincent J. See Vicklund, Manowitz and Bagdon 133

Bakerspigel, Alexander. Permanent unstained mounts of fungi 523

- A further report on the soil storage of fungi 680

Barnett, H. L. See Hacskaylo, Lilly and Barnett 691

Beneke, E. S. See Alexopoulos and Beneke 245

Benjamin, R. K. See Johns and Benjamin 201

Bohonos, N. See Hesseltine, Porter, Deduck, Hauck, Bohonos and Williams 16

Brancato, F. P., and Golding, N. S. The influence of concentrated substrates on the diameter attained by the fungus colony 442

Bulat, Thomas J. Effect of light on color in Dacrymyces 32

Campbell, W. A. See Davidson and Campbell 234

Cash, Edith K. An index to C. L. Shear's mycological notes I-IX 367

Chaudhury, A. Razzaque. See Ahmad, Chaudhury and Ahmad 708

Chilton, John E. Volutella species on alfalfa 800

Conant, N. F., and Vogel, R. A. The parasitic growth phase of Coccidioides immitis in culture 157

Connell, G. H., Skinner, C. E., and Hurd, R. C. Lipomyces Starkeyi on the skin surface of the human body 12

Cook, Kiki Freret. The toxicity of certain species of Amanita to guinea pigs 24 Cooke, Wm. Bridge. On Overholts' conservatism 683

---. The genus Arthrinium 815

- See Raper and Cooke 670

Couch, John N., and Matthews, Velma D. William Chambers Coker 372

Currings, Jean. Antagonistic activity of Chaetomium globosum against fungi 289 Curtis, J. T. See Tresner, Backus and Curtis 314

Damon, Samuel C., and Downing, Mary H. Taxonomic studies in the genus Coccospora 209

Darby, Richard T., and Mandels, G. R. Inorganic nutrition of Myrothecium verrucaria 276

^{*} This index prepared by Eleanor Mary Ruggeri.

Davidson, Ross W., and Campbell, W. A. Poria cocos, a widely distributed wood-rotting fungus 234

Deduck, N. See Hesseltine, Porter, Deduck, Hauck, Bohonos and Williams 16

Downing, Mary H. See Damon and Downing 209

Drechsler, Charles. Some hyphomycetes that capture eelworms in southern states 762

Dreisinger, Bruce R. See Smith and Dreisinger 484

Emerson, Ralph, and Wilson, Charles M. Interspecific hybrids and the cytogenetics and cytotaxonomy of *Euallomyces* 393

Emmons, Chester W. Isolation of Myxotrichum and Gymnoascus from the lungs of animals 334

Farrow, W. M. Tropical soil fungi 632

Frank, H. A., and Skinner, C. E. The relationship between Actinomyces bovis and Lactobacillus bifidus 728

Fergus, Charles L. The effect of temperature and nutrients upon spore germination in the oak wilt fungus 435

---. The production of ethylene by Penicillium digitatum 543

Ferrera, Rosalie Reardon. See Goodman and Ferrera 556

Georg, Lucille K. See Ainsworth and Georg 9

Gerdeman, J. W. Leptodiscus terrestris: a correction 255

Gilbertson, Robt. L. Polyporus montagnei and Cyclomyces greenei 229

Gilkey, Helen M. Taxonomic notes on Tuberales 783

Gilman, Joseph C. See Tiffany and Gilman 52

Gilpin, Robt. H. Concerning the nutrition of Apodachyla brachynema 702

- See Ziegler and Gilpin 647

Golding, N. S. See Brancato and Golding 442

Goodman, J. J., and Ferrera, Rosalie Reardon. Synthesis of riboflavin by Ashbya gossypii grown in a synthetic medium 556

Hacskaylo, Joseph, Lilly, Virgil Greene, and Barnett, H. L. Growth of fungi on three sources of nitrogen 691

Hardison, John R. See Phinney and Hardison 667

Hauck, Marie. See Hesseltine, Porter, Deduck, Hauck, Bohonos and Williams 16

Hesseltine, C. W. The section Genevensis of the genus Mucor 358

—, Porter, J. N., Deduck, N., Hauck, Marie, Bohonos, N., and Williams, J. H. A new species of Streptomyces 16

Hurd, R. C. See Connell, Skinner and Hurd 12

Johns, Robert M., and Benjamin, R. K. Sexual reproduction in Gonapodya 201 Johnson, George Thomas. Ascogonia and spermatia of Stereocaulon 339

Johnson, T. W., Jr., and Tucker, Gordon W. A technique for the aseptic removal of conidia from agar cultures 384

Karling, John S. Host reaction, host-parasite relationship, hosts, and taxonomic criteria in Synchytrium 293

- Synchytrium modioliensis Cook and Synchytrium australe Spegazzini 529

Kern, Frank D., and Thurston, H. W., Jr. Additional species of Uredinales from Colombia 354

Korf, Richard P. Discomyceteae exsiccatae, Fasc. I 837

—. See Pantidou and Korf 386

Kommedahl, Thor. Spore germination in *Ustilago Zeae* as influenced by KH₂PO₄ 151 Lichtwardt, Robert W. Three species of Eccrinales inhabiting the hindguts of millipeds, with comments on the eccrinids as a group 564

Lilly, Virgil Greene. See Hacskaylo, Lilly and Barnett 691

Lowe, Josiah L. Perennial polypores of North America II. Fomes with colored context, hyaline spores 488

Lowy, Bernard. A new species of Platygloea from Louisiana 100

Luttrell, E. S. An undescribed species of Piricularia on sedges 810

Mains, E. B. North American species of Geoglossum and Trichoglossum 586

Mandels, G. R. See Darby and Mandels 276

Manowitz, Milton. See Vicklund, Manowitz and Bagdon 133

Marsden, David H. Studies of the creosote fungus, Hormodendrum resinae 161

Martin, G. W. A new species of Scleroderma from Panama 527

Matthews, Velma D. See Couch and Matthews 372

McDonough, E. S. See McGray and McDonough 463

McGray, Robert J., and McDonough, E. S. Antimycotic effects of an extract of Catalpa 463

Mix, A. J. Differentiation of species of *Taphrina* in culture. Utilization of carbon compounds 721

- Report of the 1952 foray 112

Moore, Royall T. Three new species of Helicosporae 89

Murrill, W. A. Agaricus Blockii sp. nov. 112

Narasimhan, M. J. See Thirumalachar and Narasimhan 222

Olive, Lindsay S. Taxonomic differentiation between Ascobolus stercorarius and A. furfuraceus 105

- Heterothallic behavior in the Aspergillaceae 254

- Two species of Galzinia from the southern Appalachians 794

Pantidou, Maria E., and Korf, Richard P. A revision of the genus Keithia 386Parmelee, J. A., and Savile, D. B. O. Life history and relationship of the rusts of Sparganium and Acorus 823

Phinney, Harry K., and Hardison, John R. Immobilization of fungus spores and other minute objects in water mounts 667

Plakidas, A. G. Spot anthracnose of Chinese holly 346

Porter, J. N. See Hesseltine, Porter, Deduck, Hauck, Bohonos and Williams 16 Raper, Kenneth B., and Cooke, Wm. Bridge. The 1950 foray of the Mycological Society of America 670

Rogers, Donald P. The genus Cordyceps and Fries's Observationes 248

- On the dates of Fuckel's Symbolae 533

Saksena, S. B. A new genus of Moniliaceae 660

Savile, D. B. O. Cellular mechanics, taxonomy and evolution in the Uredinales and Ustilaginales 736

—. See Parmelee and Savile 823

Sequeira, Luis. Nuclear phenomena in the basidia and basidiospores of Omphalia flavida 470

Siang, W. N. Observations on Tilletia cerebrina 238

Simmons, Emory G. Culture studies in the genera Pleospora, Clathrospora, and Leptosphaeria. II 184

Skinner, C. E. See Connell, Skinner and Hurd 12

- See Frank and Skinner 728

Smith, Alexander H., and Dreisinger, Bruce R. Further notes on amyloid tramal hyphae in Gomphidius 484

Sprague, Roderick. Some leafspot fungi on western Gramineae. VII 76

Sternberg, T. H. See Tarbet and Sternberg 263

Stevenson, John A. The National Fungus Collections 841

Sussman, Alfred A. The sensitization of ascospores to chemical activators by heat treatment 143

Tarbet, J. E., and Sternberg, T. H. Microbiological estimation of antifungal blood levels following administration of fungicides 263

Taschdjian, Claire L. Simplified technique for growing fungi in slide culture 681

Thirumalachar, M. J., and Narasimhan, M. J. Morphology of spore forms and heteroecism in Puccinia cacao 222

Thom, Charles. The colony 1

Thompson, G. E. The perfect stages of Marssonina rhabdospora and Septoglocum rhopaloideum 652

Thurston, H. W., Jr. See Kern and Thurston 354

Tiffany, L. H., and Gilman, Joseph C. Species of Colletotrichum from legumes

Tresner, H. D., Backus, M. P., and Curtis, J. T. Soil microfungi in relation to the hardwood forest continuum in southern Wisconsin 314

Tucker, Gordon W. See Johnson and Tucker 384

Vicklund, Richard E., Manowitz, Milton, and Bagdon, Vincent J. Mechanism of action of copper 8-quinolinolate 133

Vogel, R. A. See Conant and Vogel 157

Wehmeyer, L. E. Studies in the genus Clathrospora 498

Welden, Arthur L. Some Myxomycetes from Panama and Costa Rica 93

Wells, Doreen E. Ascocybe, a new genus of lower Ascomycetes 37

Williams, J. H. See Hesseltine, Porter, Deduck, Hauck, Bohonos and Williams 16 Wilson, Charles M. See Emerson and Wilson 393

Wood, John L. Mycotypha microspora from Maryland 386

Ziegler, A. W., and Gilpin, R. H. A description of a new species of Achlya with some observations on its physiology 647

INDEX TO TAXA

New taxa and the pages where they appear are in **bold face type**. An attempt has been made to correct mistakes in the spelling of scientific names where such occur in the text.

Absidia 643; cylindrospora 322, 327, 680; glauca 323, 327, 639; scabra 639

Acetabula 838

Achlya 647; abortiva v. normalis 649; ambisexualis 394; bisexualis 394; crenulata 649, 651; lobata 647, 649, 651; recurva 649; subterranea 649; tuberculata 647, 649, 651

Acremonium 639; vitis 639 Acrostalagmus 643, 679; albus 639, 643; cinnabarinus 639

Acrothecium obovatum 122

Actinomyces 729, 733, 734; bifidus 729, 731, 733, 734; bovis 728; israeli 728, 729

Aecidium 539; manilense 222, 228 Agaricus 119; blockii 112; campester

537; placomyces 119 Agrocybe firma 131

Agyrium 117 Albugo bliti 116

Aleuria aurantia 117; lilacina 839; olivacea 838

Aleurina atrovinosa 117

Aleurodiscus 120; oakesii 120; pini 120

Allescheria boydii 467, 468, 680
Allescheriella 217, 218; crocea 211, 215, 217, 218; uredinoides 209
Allomyces 394; subg. Brachyallomyces 423; subg. Cystogenes 429; subg. Euallomyces 393, 702; arbuscula 393, 432; arbuscula 393, 433; arbuscula 393, 434; arbuscula 393 432; arbuscula v. arbuscula 428; arbuscula v. minor 428; cystogenus 430; javanicus 395-431; javanicus v. japonensis 429; javanicus v. javanicus 422, 423, 424, 429, 433; × javanicus 429, 437 433; javanicus v. macrogynus 397, 413-433; javanicus v. perandrus 424, 429, 433; macrogyna 429; macro-gynus 429, 431, 433; moniliformis 430 Alnicola melinoides 678

Alternaria 197, 467; humicola 639; solani 694, 696

Amanita 24; bisporigera 26; chlorinosma 25-30; citrina 25; cothurnata 26, 28, 29, 30; crenulata 25; flavivolva 26, 28, 29, 30; frostiana 25, 119; inaurata 678; mappa 25, 26; morrissii 25; muscaria 24, 26, 678; mutabilis 26, 28, 29, 30; neglecta 26, 28, 29, 30; pantherina 24, 25; phalloides 24, 25, 26; partherina 24, 25; phalloides 24, 25, 26; porphyria 25; praegraveolens 26, 28, 29, 30; radicata 25; roanokensis 26, 28, 29, 30; rubescens 25, 119; russuloides 25; solitaria 25; spissa 26; spreta 25, 26; strobiliformis 25; verna 24-30; verniformis 26, 28, 29, 30; virosa 25, 26; virosiformis 26, 28, 29,

Amanitopsis vaginata 119; vaginata v. fulva 119

Amaurochaete fuliginosa 116 Amoebidium parasiticum 583 Angelina rufescens 839 Anthopeziza floccosa 117 Anthostomella destruens 680 Apiocrea 116

Apodachlya brachynema 702 Arachnopeziza aurata 839; cornuta 839

Araiospora 702

Arcyria cinerea 97, 116, 674; denudata 97, 116, 674; incarnata 116, 674; insignis 97; magna 96; nutans 116; oerstedii 96; versicolor 674

Armillaria albolanaripes 677; mellea 119 Armillariella mellea 677

Arrhytidia involuta 118 Arthrinieae 815, 816, 818

Arthrinium 815, 818; bicorne 679, 820; caricicola 818, 819; curvatum 821; curvatum v. minus 818; cuspidatum 819, 820, 821; morthieri 822; naviculare 819; puccinioides 822; sphaerospermum 822; sporophlaeum 821; sporophleoides 821

Arthrobotrys 762; anchonia 762-769, 776; cladodes 769; conoides 764, 767; dactyloides 764, 765, 767, 769, 771; megalospora 771; musiformis 764, 767, 771; oligospora 764, 767, 770 Artractum ciliatum 805

Ascobolus furfuraceus 105, 107, 108, 109; furfuraceus v. flavo-virens 107. 108; furfuraceus v. fuscus 107, 108; glaber 109; stercorarius 105, 107, 108, 109; tetrasporus 838

Ascochyta 81; sorghi 83, 86, 678 Ascocybe 37, 39, 40, 46, 47, 48, 49; grovesii 40, 48

Ascoidea rubescens 47

Ashbya gossypii 556 Aspergillus 458, 523, 637, 638, 643, 645, 680, 681, 691; candidus 639, 643; chevalieri 639; flavipes 639; flavus 5, 443, 445, 447, 449, 453, 639; fonsecaeus 639, 643; fumigatus 639, 679, 680; giganteus 639; nidulans 254; niger 135, 176, 177, 181, 443–453, 467, 468. 639, 680; ochraceus 639, 643; phoenicis 639; sulphureus 639; sydowi 639; terreus 639, 679; unguis 639, 643; ustus 639; versicolor 639; violaceo-fuscus 639

Asterophora lycoperdoides 119 Asterostroma muscicola 120

Bacidia 123 Bactridiopsis 218; ulei 209, 215, 218, 219 Bactridium 218; flavum 122, 218, 679 Badhamia curtisii 116; decipiens 97,

116; rubiginosa 116 Balsamorrhiza 741 Beauveria bassiana 122 Biatora 261

Bifidobacterium bifidum 729

Bifusella acuminata 675; linearis 117 Bilimbia melaena 123; naegelii 123; parasema 123

Bispora pusi!la 122 Bivalvae 815, 816, 818

Bjerkandera adusta 120; fumosa 120 Blakeslea trispora 639

Blastocladiella 702

Blastomyces brasiliensis 680; dermatitidis

289, 290, 291 Boletinus 125; pictus 119 Boletus 116, 119, 125, 126, 130, 686; americanus 116; cramesinus 131; edulis 537, 678; pomaceus 491, 494; san-guineus 131; superficialis 496

Bombardia 689: fasciculata 116 Bombardioidea 690

Botryodiplodia theobromae 639 Botryosphaeria ribis 116 Botryotinia convoluta 694

Botryotrichum piluliferum 213 Botrytis 639; micheneri 122

Bovista pila 120; plumbea 678 Bulgaria 840; globosa 840; inquinans 117, 840 Brachybasidium 798 Brachysporium apicale 122; obovatum

Cacumisporium 122 Calcarisporium 122; arbuscula 122 Calocera cornea 32, 118, 386 Calodon scrobiculatus 120; zonatus 120 Caloscypha fulgens 837 Calvatia cyathiformis 678; fumosa 674, Camarophyllus 126 Camptoum 815, 816, 819; curvatum 818, 819, 821; cuspidatum 820 Candelospora 665 Candida 111, 680, 721; albicans 289, 290, 291, 524, 525, 681; krusei 289, 290, 291, 708; mycoderma 708; tropicalis 263 Cantharellus 481; cibarius 120; lutescens 120: tubaeformis 120 Carbomyces emergens 786; longii 787 Cephalosporium 122, 322, 327, 465, 466, 467, 468, 639, 679; curtipes 639 Cephalothecium roseum 122, 694, 696, 697 Ceratiomyxa fruticulosa 95, 96, 116; morchella 94; sphaerosperma 94, 95 Cercospora 122; montana 679; sii 679 Cercosporella poagena 86

Cercosporidium 814; fasciculatum 814 Cerrena unicolor 120 Cetraria oakesiana 123

Chaetoceratostoma 638, 639 Chaetomium 289, 322, 638, 639, 643, 645; bostrychodes 639; caprinum 637, 639; cristatum 639; funicola 639; globosum 289, 639, 694, 696; murorum 639

Chalara 122 Chlorociboria aeruginosa 117; versiformis 117 Chlorospleniella sarcoides 117

Chlorosplenium chlora 117 Choanephora 680

Choiromyces cookei 787 Chromocrea spinulosa 680

Chrysomyxa 539, 751, 754; arctostaphyli 675; pyrolae 675 Cibalocoryne 589; affine 593; gelatinosa

591; peckianum 603; viscosulum 591 Cibarocoryne affine 593; gelatinosa 591; peckianum 603

749, 750; aspera 742; caricis 749, 750; carpophila 750; fischeri 742; irregularis 749; pachyderma 746; sclerotiformis 749, 750; subinclusa 742 Circinella 680; minor 680

Cistella 117

Cladonia fimbriata v. radicata foliacea 123; furcata v. pinnata 123 Cladosporium 42, 680; grumosum 122; herbarum 122, 176, 177, 181, 322, 639, 679; lignatile 122

Clasterosporium fasciculare 122 Clathrospora 184, 196, 197, 198, 498; alpina 498, 515, 521; aurea 510, 511, 512; bakeri 501, 513, 514, 515, 516, 517; collomiae 521; constricta 510; cookei 517; **diplospora** 187, 188–190, 199, 502, 507, 508, **509**, 510, 521; ellisiana 509, 510; elynae 498, 500, 501, 514, 515, 516, 521; juncicola 501, 503, 512; macrospora 510; microspora 510; 513, 514; multiseptata 517; passeriniana 511; pentamera 502, 507, 510, 511, 520, 521; permunda 498, 502, 503, 507, 508, 509, 518, 521; planispora 503, 507, 511, 512; playspora 511; quadriseptata 510; sim-monsii 501, 514, 515, 517, 521; simu-lans 503, 504, 521; stipae 513; tirolensis 505, 520; triseptata 501, 513, 514; typhicola 503, 522

Claudopus nidulans 119 Clavaria 117, 120, 687; flava v. aurea 677; nigrita 595, 596, 598

Clavariadelphus truncatus 120 Clavicorona pyxidata 120

Clitocybe aurantiaca 119; catina 119; clavipes 119; ectypoides 119; illudens 119; odora 678

Clitopilus 131; abortivus 119; orcella

Clostridium botulinum 3, 8 Coccidioides 335, 337, 338; immitis 157, 334

Coccodothis sphaeroidea 388 Coccodothis sphaeroidea 388 Coccospora 209, 215, 216, 218; agricola 213, 680; aurantiaca 209, 211, 216, 217, 219, 220; casei 211, 212, 219; muscorum 211, 213, 219; parasitica 212; rosea 211, 212, 213, 219; rubigi-nosa 211, 213, 219; sinensis 211, 213, 215, 219; ulei 215, 218

Coccosporium 639 Coemansia reversa 639, 643, 644

Cohnistreptothrix 729; bifida 729 Coleosporium 539; solidaginis 118, 676 Colletotrichum 52, 58, 71, 72, 122, 800, 801, 808; bromi 58; capsici 55; caulisol, sos, tolm 58, cashel 58, 59; destructivum 59, 62, 63, 64, 65, 66, 70, 72, 73, 74; glycines 53, 54, 68, 73; graminicola 57, 58, 59, 61, 72, 73, 81; indicum 55; liliacearum 122; lindemuthianum 61, 70, 71, 73; lineola v. pachyspora 58; pisi 54, 63, 66; san-guineum 58; sativum 62; trifolii 61, 62, 63, 64, 73; truncatum 52, 53, 54,

55, 57, 66, 68, 72, 73; viciae 53, 55, 73; villosum 57, 73 Collybia confluens 119; cookii 678;

dryophila 119, 678; lacunosa 119; maculata 678; nitellina 678; radicata 119; velutipes 119

Coltricia 121; memmingeri 231; tomentosa 121

Comatricha 245; aequalis 97; cornea 245, 246; elegans 245; fimbriata 245, 246; laxa 245; **martinii 245;** nigra 245, 674; pulchella 97; reticulata 245; subcaespitosa 245; typhoides 97, 116, 246

Comoclathris ipomoeae 504

Coniochaeta 689

Coniophora olivacea 120; umbrina 677 Conoplea atra β caricarum 822; gilva 805; puccinioides 822

Coprinus 128; atramentarius 678; mica-

ceus 335, 678 Cordyceps 248; ophioglossoides 116 Cordylia 248; militaris 251

Coriolus hirsutus 120; pargamenus 120;

versicolor 120 Corticium 687, 798; bicolor 120; corruge 677; filicinum 120; lembosporum 120;

porosum 120; punctulatum 120; scutellare 120; sphaerosporum 120; tulasnelloideum 120

Cortinarius 127, 128; alpinus 128; armillatus 119; brunneus 678; cinnamomeus 678; collinitus 678; crassus 678; cyanopus 119; distans 119; glaucopus 678; laniger 678; lilacinus 119; mucifluoides 126; multiformis 678; pseudosolar 126; rimosus 678; semisanguineus 119

Coryne 117 Corynebacterium 733

Corynetes atropurpureus 117; robustus

117 Coryneum notarisianum 212 Costantinella athrix 122; tillettei 122 Craterellus 687; cornucopioides 120 Crepidotus applanatus 119, mollis 119 Cribraria intricata 96, piriformis 96 Cronartium comandrae 676; ribicola 118

Crubiculum levis 120; vulgare 120 Cryptococcus 14, 15, 721; newformans 289, 290, 291, 680

Cryptoderis lamprotheca 654 Cryptoderma yamanoi 494, 497 Cryptoporus volvatus 677 Cryptostictella bractearum 122 Cudonia confusa, 117; lutea 117 Cumminsiella mirabilissima 676

Cunninghamella 643; echinulata 640; elegans 680

Curvularia geniculata 640; lunata 640 Cyathus striatus 120, 695, 698 Cyclomyces 229, 686; greenei 229

Cycloporus 229 Cylindrocarpon 322, 323, 327

Cylindrocladium 664, 665; scoparium

Cylindrophora 323

Cylindrosporium geranii 679; heraclei 679; montanegrinum 679; populinum 652, 655; ranunculi 679

Cyphella 687; fasciculata 120; mellea 121

Cystoderma 126, 129 Cytidia salicina 120, 677

Dacrymyces abietinus 118; deliquescens 677; ellisii 32, 118, 260; minor 118; stillatus 118

Dacryomitra stipitata 118 Dactylaria 775, 813; brochopaga 765; eudermata 775; haptospora 764, 776; haptotyla 777; polycephala 771; psy-chrophila 775; selerohypha 777; thaumasia 775

masia 775
Dactylella 762, 813, 814; aphrobrocha 764, 765, 771; bembicodes 765; coelobrocha 771; ellipsospora 777; heterospora 765; megalospora 769, 771–775; phymatopaga 775, 776, 777, 779, 781; tylopaga 779
Dactyliyopaga 779

Dactylium dendroides 122 Daedalea 117, 120, 686, 687; quercina 120, 695; unicolor 116; vorax 494,

Daedaleopsis confragosa 120 Daldinia concentrica 116 Darluca filum 83, 84, 122, 678

Dasyscypha 840; agassizii 675; arida 675; diplocarpa 117; inquilina 117; virginea 117

Dasyscyphus 840; corticalis 840; nu-dipes 840; virgineus 840

Delicatula 126 Delitschia 689 Dendryphion atrum 122 Densocarpa shanori 786 Dentinum repandum 120, 677 Dermea hamamelidis 117 Diachea radiata 97

Dialonectria 117, 637, 638; brassicae 640; galligena 640

Diatrype stigma 116, 117, 122 Dibotryon morbosum 116, 122

Dicellomyces 798 Dicheirinia 354, 355; manoasensis 354 Dicladium graminicolum 58

Dictydium cancellatum 96, 674 Dictyoarthrinium 816

Dictyostelium 638; mucoroides 640, 674 Dictyuchus 394; monosporus 394

Diderma 638, 640, 675; chondrioderma 98; floriforme 675; globosum 675; montanum 116

Didymaria 814

Didymium 638; clavus 98; iridis 99, 116, 640; melanospermum 116; nigripes 99; squamulosum 98, verruco-sporum 94, 98, 99; xanthopus 116 Didymosphaeria clematidis 675 Diehliomyces 789; microsporus 790 Diplocladium minus 122 Diplococcium spicatum 122 Diplodia 678 Diplosporium polypori 122 Discina ancilis 837; leucoxantha 837; perlata 837 Disciotis venosa 838 Discosia artocreas 122 Dothidea sphaeroides 388 Drosophila 128 Dryophila 131

Eccrina 584; flexilis 583 Elaphomyces 116; muricatus 116 Elfvingia 488; fasciata 491 Elfvingiella 488; fasciata 491 Elsinoë ilicis 351 Endocalyx 816 Endoconidiophora fagacearum 435; fimbriata 50; moniliformis 50 Endogone 116; pisiformis 116; sphagnophila 116 Endomyces 39, 40, 46, 48, 49, 50; cho-dati 48; decipiens 46, 48, 49; fibuliger 47, 48, 49; hordei 47; lindneri 47 Endomycopsis 47, 48, 50; fibuliger v. monospora 708; lindneri 48; monosporus 708 Endophyllum 539 Enerthenema papillatum 116 Enteridium rozeanum 116 Enterobrus 577, 585 Enterobryon 577 Enterobryus 570, 577, 582, 584; apheloriae 566, 570, 571, 580, 581, 582, 584; elegans 566-584; euryuri 566, 570, 571, 575, 577, 578, 579, 580, 582, 584; rectus 571

tarum 677 Eocronartium 101; muscicola 118 Epicoccum 122 Epidermophyton floccosum 467, 468 Epipeltis gaultheriae 116 Eremothecium ashbyi 561 Erysiphe communis 675; graminis 675; polygoni 116 Eutypella stellulata 212 Exidia glandulosa 118; nucleata 118; recisa 118, 695, 697

Entoloma salmoneum 119 Entyloma 754; arnicale 677; composi-

Exomyces 215

Favolus 686; alveolarius 120 Fimetaria fimicola 680

Exobasidium vaccinii 120, 677

Fistulina hepatica 120 Flammulina velutipes 678 Fomes 121, 488, 685, 686; alboincarnatus 488; albomarginatus 489, 490, 492; arctostaphyli 490, 492; baccharidis 489, 490; borealis 490, 492; conchatus 488, 490, 491; connatus 121; densus 488, 490, 491; connatus 121; densus 491; extensus 497; fomentarius 120, 488, 489, 491, 492; fulvus 488, 489, 491, 494; igniarius 488–493, 677; inflexibilis 489, 491, 492; marmoratus 488, 489, 491, 492; marmoratus 488, 489, 493; nigricans 492, 493; nigrolimitatus 489, 493, 494, 677; occidentalis 490, 493; pini 488, 490, 491, 493, 497, 677; putearius 493, 494; repandus 489, 494; rheicolor 494; robustus 488-496; roseocinereus 488, 90, 494; semitostus 495; senex 494, 496; subflexibilis 489, 496; subroseus 695, 697; taxodii 490, 496; tenuis 488, 489, 492, 496, 497; torulosus 496; zealandicus 488, 490, 491, 494, 495, 497 Fomitiporella betulina 490, 492

Fomitiporia dryophila 494; earleae 494; jamaicensis 494; laminata 494; lang-loisii 494; lloydii 494; maxoni 494; obliquiformis 494; tsugina 494, 496

Fuligo muscorum 116; septica 97, 116, 675

Fusarium 467, 640, 643, 680, 691; avenaceum 679; ciliatum 805; neoceras 640; oxysporum f. lycopersici 154; solani 640, 643

Fuscoporia 121; juniperina 494

Galactinia 117, 839; brunneo-atra 117; ionella 839; limosa 117; olivacea 117; praetervisa 117; succosa 117

Galerina hypnorum 119 Galzinia 794; cymosa 794, 795, 797; geminispora 794, 796, 797, 799; occi-dentalis 794, 797; pedicellata 794, 797 Ganoderma 686; applanatum 117, 120, 122, 677; lucidum 120, 695; tsugae 120

Geastrum triplex 120 Gelasinospora 689; adjuncta 680; autosteria 680; calospora 680; cerealis

steria 680; calospora 680; cerealis 680; rztispora 680; tetrasperma 680 Genabea 784, 787, 788; fragilis 788; sphaerospora 788; tasmanica 785, 788 Genea 784, 787, 788, 790; sect. Eugenea 787; sect. Heterogenea 787; subject a 787; sect. Heterogenea 787; subject a 787, 788 Geoglossum 586, 588; affine 589, 590, 592, 593, 594; alveolatum 588, 589, 590, 594, 595, 608, 610, 611, 612, 613; americanum 625; barlae 598; capitatum 622; cohaerens 590, 592, 594, 595; cookeianum 600, 602; difforme 589, cookeianum 600, 602; difforme 589, 590, 595, 601, 602, 603, 604; difforme

v. difforme 604, 605; difforme v. variabile 604, 605; elongatum 595, 612; fallax 589, 590, 601, 607, 608, 610; fallax v. proximum 607; fallax v. subpumilum 607; farlowii 614; glabrum 117, 589, 590, 593, 598-603; glabrum v. americanum 592, 600, 602; glabrum v. elongatum 592, 601; glabrum v. glabrum 592, 600, 602; glabrum v. heterosporum 592, 600; glabrum v. inflatum 597, 601; glabrum v. sphagnophilum 602; gluti-nosum 589-594, 625; hirsutum 607, 618; hirsutum v. americanum 625; hirsutum v. leotioides 622; intermedium 589, 590, 594, 595, 608, 611, 612; japonicum 602; littorale 595; mon-tanum 599; nigritum 117, 589, 590, 594, 595, 596, 598, 599, 601, 602; nigri-tum v. nigritum 596, 597; nigritum v. heterosporum 596, 597, 599; v. heterosporum 596, 597, 599; ophioglossoides v. sphagnophilum 602; peckianum 117, 603; proximum 607; pumilum 590, 605, 606, 607; pygmaeum 590, 605, 606, 607; pygmaeum v. leveillei 607; rehmianum 616; simile 117, 587, 588, 590, 597, 598, 601, 602, 603; sphagnophilum 602; sphagnorum 602; subpumilum 607; velutipes 625, 626; viscosum 591; velutipes 625, 626; walteri 616 vleugelianum 595; walteri 616 Geophila 131

Geotrichum 680; candidum 443, 444, 445, 447, 449, 451, 452, 453, 454, 680 Gibellula leiopus 117

Gliocladiopsis 661, 662; sagariensis 661, 662, 663

Gliocladium 637, 638, 643, 661, 664, 665; catenulatum 640; penicilloides 640, 643; roseum 640

Gliomastix convoluta 640

Gloeocercospora 78; alascensis 77, 78; sorghi 78

Gloeoglossum 587, 588, 589, 598; affine 593, 594, 598; difforme 603; gluti-nosum 591

Gloeophyllum sepiarium 120

Gloeosporium cingulatum 69; lindemu-thianum 70, 71; populinum 652, 655 Gloeotulasnella 794

Glomerella 54, 65; cingulata 61, 68, 69, 70, 72, 73, 255; glycines 53, 55, 61, 64, 66, 67, 68, 69, 72, 73

Glonium clavisporum 116; stellatum 116, 122

Gomphidius 126, 484; subg. Chroogom-phus 484, 486, 487; subg. Larico-gomphus 486; alachuanus 485; flavipes 486, 487; glutinosus 486; leptocystis 484, 486, 487; maculatus 486; ochra-ceus 485, 487; oregonensis 486; rutilus 485, 486, 487, 678; subroseus 486;

superiorensis 485, 487; tomentosus 484-487; vinicolor 485, 487; vinicolor ssp. jamaicensis 485; viscidus 486;

viscidus v. columbianus 485, 486 Gonapodya 201; prolifera 201, 202, 203, 205, 207; polymorpha 201, 203, 205,

Gonatobotryum 815, 816

Gonatosporium 819; puccinioides 822 Goniosporium 815, 816, 819, 822; puccinioides 819, 822; sphaerospermum 822

Gonytrichum macrocladum 640 Goplana cissi 539

Grandinia farinacea 120 Graphiola 816

Graphis scripta 123

Graphium 638, 640, 643; bulbicola 640

Guepiniopsis alpinus 677 Guignardia 657; niesslii 658; populi 653, 656, 658

Gymnoascus 334; reessii 334, 338 Gymnoconia peckiana 118

Gymnosporangium 539; ellisii 751; globosum 118

Gyrocratera 790, 791 Gyrodon merulioides 119

Gyromitra esculenta 838; infula 838

Hainesia borealis 679 Hanseniaspora 46

Hansenula 46, 708; anomala 47, 48, 680; canadensis 675; capsulata 675; minuta 675; suaveolens 675

Hapalophragmium millettia-rhodanthae

Haplaria grisea 122

Haplographium 37; delicatum 118 Haplosporangium 322, 327; parvum 334,

680 Hebeloma crustuliniforme 678; trun-

catum 131 Helicobasidium holospirum 118

Helicogloea 797

Helicoma morgani 122; muelleri 122; perelegans 122; proliferens 122 Helicomyces ambiguus 89; bellus 92;

colligatus 89, 90

Helicoon ellipticum 122

Helicosporium albidum 91; aureum 122; elinorae 91; griseum 91; linderi 90, 91; lumbricoides 122; nematosporum 91; pallidum 91; panacheum 91, 92;

phragmites 91; serpentinum 91 Helminthosporium 122, 467, 640; cyclops 122; folliculatum 122; gramineum 694, 696; persistens 122; simplex 122; teres 86; vagans 86 Helotium 117; caudatum 117; citrinum 117; caudatum 117; frietigenum

117; cudonioides 117; fructigenum

Helvella ancilis 838; elastica 117; infula 838; lacunosa 117; macropus 117 Hemileia coffeicola 132; mussaendae

539; vastatrix 132

Hemitrichia chrysospora 116; clavata 675; serpula 116; stipitata 97, 116; vesparium 116

Hendersonia crastophila 83; culmicola 80

Hericium caput-ursi 120; coralloides 120; erinaceus 120; laciniatum 120

Herpotrichia nigra 675; pezizula 116; quinqueseptata 675 Heterocephalum aurantiacum 637, 640,

643, 644

Heteropatella umbilicata 679 Heterosporium allii 679; avenae 83; phlei 679

Hexagona 686 Heyderia 251

Hirschioporus abietinus 120

Histoplasma capsulatum 289, 290, 291, 466, 467, 468

Holwaya gigantea 117; leptosperma 117; ophiobolus 117

Hormodendrum cladosporiodes compactum 680; pedrosoi 680, 682; resinae 161

Humaria 117, 838; scutellata 117

Humarina 640, 838 Humicola fuscoatra 640

Hyalinia crystallina 840 Hyalopsora 538; polypodii 676

Hyaloscypha atomaria 117, 119; dematiicola 118

Hydnobolites tulasnei 791

Hydnocystis 787; compacta 787 Hydnoplicata 783, 784, 788; whitei

784, 787 Hydnotrya 784, 790, 791; carnea 791, 792; cubispora 790, 791; intermedia 791, 792; tulasnei 791, 793; tulasnei subsp. intermedia 792; variiformis 674, 675, 791

Hydnum 687; brevipes 120; cristatum

120; fennicum 120

Hygrocybe 126; conicus 677 Hygrophoropsis 126

Hygrophorus 126, 484; borealis 119; discoideus 119; erubescens 677; flaves- . cens 119; marginatus 119; miniatus 119; miniatus v. sphagnophilus 119;

pratensis 119 Hymenochaete 120; cinnamomea 120; episphaeria 120; fuliginosa 120; oli-

vacea 120: rubiginosa 120 Hypoderma brachysporum 118; rubi 118

Hypochnus 122

Hypocopra 689 Hypocrea gelatinosa 116; rufa 116 Hypodermella abietis-concoloris 675 Hypomyces armeniacus 116; aurantius 116, 675; chrysospermus 116; hyalinus 117; lactifluorum 117; lateritius 117; papyraceus 675; porotheliiformis 117; rosellus 117; solani 255

Hypoxylon cohaerens 117; militare 252; rubiginosum 117

Hysterographium 117; cinerascens 117; mori 117

Hysterium pulicare 117

Inocybe 127; armoricana 678; calamis-trata 678; fastigiata 119; geophylla v. geophylla 678; geophylla v. lilacina 678; hystrix 119; pallidipes 119; subdecurrens 678

Inonotus cuticularis 120; nidulans 120;

obliquus 120; radiatus 120 Irpex 687; cinnamomeus 120; crassus 687; farinaceus 492, 687; mollis 687 Isaria 535

Itajahya galericulata 260

Jola 101

Kabatiella caulivora 62 Karschia lignyota 118

Keithia 386, 387; chamaecyparissi 388; juniperi 387, 388; tetraspora 388; thujina 388; tsugae 388

Kloeckera apiculata 708; japonica 708 Kuehneromyces vernalis 678

Laccaria amethystina 119; laccata 122, 678; ochropurpurea 119

Lachnea 117, 118, 839 Lachnum 840; bicolor 675

Lactarius 116, 117; aspideus 678; controversus 678; deliciosus 678; fuliginosus 119; griseus 119, 122; indigo 119; insulsus 119; lignyotus 119; mucidus 119; piperatus 119; tormino-sus 19, 678; turpis 119; uvidus 678; vellereus 119

Lactobacillus 733; acidophilus 730; bi-

fidus 728 Laetiporus sulphureus 120

Lambertella viburni 694, 698 Lasiosphaeria 116; hirsuta 217; hispida

117; ovina 117; viridicoma 117 Leccinum aurantiacum 678; scabrum 119

Lecidea 261; albocaerulescens 123; cyrtidia 123; platycarpa 123; viridescens

Lentaria mucida 120

Lentinus cochleatus 119; omphalodes

Lenzites 120, 686, 687; betulina 120; sepiaria 677, 695, 697; trabea 695, 697 Leocarpus fragilis 116

Leotia chlorocephala 118; lubrica 118, 122; stipitata 118; viscosa 118 Lepiota 487; acutesquamosa 119; clypeolaria 678

Lepista personata 678

Leptodiscus terrestris 255 Leptoglossum 595, 611; alveolatum 610

Leptographium 37

Leptomitus lacteus 702 Leptoporus 121; semipileatus 120; semi-supinus 120, 121; tephroleucus 121 Leptosphaeria 86, 503, 507; erigerontis

Leptostromella conigena 679

Leucangium 785; readeri 785

Leucoglossum 613 Leucopezis 838

Leucoscypha leucotricha 118 Licea minima 116; pusilla 96

Lichtheimia corymbifera 680

Limacium 126

Lipomyces 12; lipoferus 12-15; starkeyi 12-15

Lophionema apoclastospora 675 Lophodermina juniperina 675 Lophodermium arundinaceum 675 Lycogala epidendrum 96, 675; exiguum

Lycoperdon 120, 537; dryinum 120; fuscum 120; gemmatum 120; perlatum 120, 678; pyriforme 120, 678 Lyophyllum 126, 131, 678

Macromucor 680 Macropodia 117

Macrospora scirpicola 506, 507; scirpi 503, 506, 522

Marasmiellus fibulus 678

Marasmius 691; androsaceus 119; co-haerens 119; epiphyllus 678; rotula 119; straminipes 119

Marsonia rhabdospora 652, 655

Marssonina 653; grossulariae populi 679; rhabdospora 652, 655 Masoniella 638; grisea 640, 643, 644 122;

Mastigosporium rubricosum 80, 85, 86 Melampsora 354, 538, 539, 754; albertensis 676; bigelowii 744, 747; epitea 538, 740, 744, 747, 748; laricipopulina 355; medusae 355; populnea 538; ribesii-purpurae 676 Melampsorella 538; cerastii 676

Melampsoridium 538 Melanoporus 488

Melanospora 637, 638; brevirostris 637, 640: lagenaria 637, 640; zobelii 785

Memnoniella echinata 640 Menispora 122; cinerea 821; oligosperma

122 Merulius 121, 687; molluscus 121; tremellosus 121

Mesobotrys 322, 327 Metasphaeria sepalorum 675 Microglossum fumosum 118; rufum 118,

Micromyces 302

Microsphaera alni 117; penicillata 117 Microsporum 110, 523; audouini 289, 290, 291, 467, 468, 681; canis 289, 290; canis v. album 680; gypseum 289, 200, 201, 467, 468 290, 291, 467, 468

Microthyrium culmigenum 83; gramineum 83; nigro-annulatum 83

Milesia darkeri 676 Milesina 538

Mitrula alveolata 611

Monascus purpureus 694, 696, 698 Monilia 322, 680

Monoblepharella 201, 203, 207, 208 Monoblepharis 201, 203, 207

Monosporium acuminatum v. terrestre 640; apiospermum 289, 290, 291, 680 Monotospora brevis 640; sphaerocephala 122

Morchella 838

Mortierella 116, 322, 327, 675; isabellina

680; reticulata 680

Mucor 358, 643, 645; sect. Absidioides 359; sect. Bonordenia 359; sect. Bys-somucor 359; sect. Circinellastrum 359; sect. Cymonucor 358; sect. Fischerella 359; sect. Flavus 358, 359; sect. Fragilis 358, 360; sect. Genevenis 358, 359, 360; sect. Hagemia 359; sect. Heteropus 359; sect. Hiemalis 358, 359, 360; sect. Lend-nerella 359; sect. Macromucor 359; sect. Micromucor 359; sect. Mono-mucor 358; sect. Mucedo 358, 359; sect. Piromyces 359; sect. Racemomucor 358; sect. Racemosus 358, 359; sect. Ramannianus 358, 359; sect. Rhizopoides 359; sect. Sphaerosporus 358, 359; sect. Thamnidioides 359; subg. Circinella 358; subg. Eumucor 358; subg. Rhizopus 358; subg. Spinellus 358; alpinus 364, 365; angulisporus 320, 321, 322, 327, 332; bacilliformis 360, 361, 363; circinelluidae 400, see 364 loides 640; erectus 364, 365; gene-vensis 360, 361, 363-366; hiemalis 323, 327; microsporus 680; parvispora 360, 361, 363, 364; philipponi 360, 363; plumbeus 640; racemosus 680; raman-nianus 322, 327, 331, 358; varians 680 Mutinus caninus 120; ravenelii 120

Mycena 126, 473, 481, 487; haematopoda 473; haematopus 119; leaiana 119; murina 481; pura 678; radicatella 119; thujina 678

Mycoacia himantia 121

Mycogone nigra 640; rosea 213 Mycolachnea hemisphaerica 118, 123

Mycosphaerella calamagrostidis 79; deschampsiae 78, 79; effigurata 117; punctiformis v. clematidis 675; tassiana 675; tulasnei 83

Mycotypha microspora 386

Myrmecocystis 784, 787, 788; cerebri-formis 787; compacta 788; vallisumbrosae 787 Myrothecium verrucaria 276, 322, 327,

Myxacium 128

Myxosporium aurantiacum 209, 216 Myxotrichum 334; chartarum 335, 337; uncinatum 335

Naematoloma capnoides 119; sublateritium 119

Naucoria 130

Nectria episphaeria 117; sanguinea 117 Neurospora 524, 689; sitophila 680; tetrasperma 143–150, 289, 290, 680 Nigredo pyriformis 832; sparganii 832 Nigrospora sphaerica 640

Nocardia asteroides 289, 290, 291, 680; bifida 729; mexicana 289, 290

Nyctalis asterophora 119 Nyssopsora 749

Octospora 838; leucoloma 838; tetra-

Odontia 121: alutacea 677: arguta 121: bicolor 121; fimbriata 121; fusco-atra 121; setigera 121

Oidium 122, 675; conspersum 122; curtisii 122; megalosporum 214, 216, 219; simile 217

Ombrophila clavus 118

Omphalia 119, 126; flavida 470 Onnia tomentosa 121

Oospora sulphurea 322, 327, 331 Ophiobolus graminis 691

Ophiostoma fimbriata 255; leptographioides 50

Orbilia inflatula 118; xanthostigma 118 Otidea 118

Ovularia pusilla 79, 87

Oxydontia fragilissima 121; setosa 121 Oxyporus populinus 121

Pachyella depressa 118; cocos 234 Paecilomyces 467, 637, 680; varioti 637, 640 Panaeolus 130; campanulatus 678

Panellus stypticus 119

Panus 119; strigosus 119 Papularia 815-818

Papulaspora candida 122 Parmelia borreri 123; caperata 123; conspersa 123; olivacea 123; physodes 123; quercina 123; saxatilis 123

Passalora graminis 542 Patella 839

Patellaria 251 Patouillardiella 640 Paxillus 125, 535, 686, 687; involutus

Paxina 118; acetabulum 675, 838

Pedilospora dactylopaga 779 Pellicularia isabellina 121; ochroleuca 121; pruinata 121; subcoronata 677; vaga 121

Peltigera canina 123

Penicillium 180, 209, 289, 290, 323, 327, 637, 638, 641, 643, 644, 660, 664, 665, 672, 680, 681, 691; admetzi 323, 327; asperum 640; baarnense 640; brevicompactum 679; canescens 679; chrysogenum 5; citrinum 640; crustosum 679; cyclopium 679; daleae 679; decumbens 640; digitatum 543; expansum 443, 445, 447, 449, 451, 452, 453; fellutanum 641, 679; frequentens 679; funiculosum 323, 641, 643; granulatum 323, 331, 679; herequei 323, 327; humuli 641; implicatum 321, 323, 327; janthinellum 321, 322, 327, 331, 641; javanicum 641; kapuscinskii 641, 679; lanoso-coeruleum lanoso-griseum 679; lanosum 323, 641, 679; lilacinum 679; lividum 679; luteum 254; martensii 327; miczynskii 679; nigricans 320, 321, 323, 327, 331; notatum 443, 445, 447, 449, 451, 453, 454; palitans 679; paxilli 641; pulvillorum 679; purpurogenum 327; raistrickii 321, 323, 327, 641, 679; restrictum 323; roqueforti 443, 445, 447, 449-454; roseo-purpureum 327; rubrum 641; simplicissimum 322, 327, 641; solitum 679; spinulosum 323 steckii 323, 641; stoloniferum 323, 327. 641; terlikowskii 641, 679; terrestre 679; thomii 323, 327, 641; variabile 323; velutinum 679; vinaceum 641, 643; waksmani 322, 327; wortmanni

Peniophora 121; affinis 121; aspera 121; byssoides 121, 677; cinerea 121; cymosa 121; filamentosa 121; heterocystidia 121; hydnoides 121; longispora 121; mutata 121; nuda 121; velutina 121; viticola 121

Perichaena chrysosperma 116

Periconia byssoides 122

Periconieae 815 Peronospora parasitica 675; trifoliorum

675 Pertusaria 341; multipuncta 123

Pestalopezia rhododendri 840

Pestalotia 637, 641 Petchiomyces 784, 788 Pezicula rubi 118 Peziza 787, 791, 838, 839; badia 838, 839; badio-confusa 838; clypeata 118; fusicarpa 118; gerardii 839; howsei 839; olivacea 838; recedens

118; repanda 118; stercoraria v. lutea 105, 108; stercoraria v. violacea 107, 108; sylvestris 118, 675; vesiculosa 839

Phaeobulgaria 117, 840 Phaeolepiota aurea 126 Phaeoseptoria poae 678 Phakopsora 538

Phellinus ferruginosus 121; igniarius 121; isabellinus 121; laevigatus 121 Phellodon amicus 121

Phialophora 638, 641; verrucosa 289, 290, 467, 524, 525, 680 Phlebia 686 Phlebiella candidissima 121; vaga 121

Phleogena faginea 118 Phleospora osmorhizae 679

Pholiota 131; albocrenulata 119; erebia

119; spumosa 678; squarrosa 119, 678; squarrosoides 119 Phoma 322, 327, 680; herbarum 678; lingam 668, 669; pedicularis 678 Phomatospora 819; therophila 678 Phragmidium 755, 759; americanum 748, 755; area 676.

748, 755; andersonii 676; ivesiae 676; rosae-acicularis 676; rosae-arkansanae 676; rubi-idaei 676

Phragmocephala setosa 122 Phycomyces 680

Phyllachora graminis 117, 814; junci 675

Phyllosticta 679, 680; arnicae 678; brunellae 678; erythronii 679; ferax 679; fraxinicola 122; minima 122; tiliae 122; trollii 679

Phymatotrichum 122, 641; omnivorum

Physarum 116; bogoriense 98; compressum 98; didermoides 98; echinosporum 94, 97; globuliferum 116; luteolum 675; nutans 98; penetrale 98; pusillum 116; tenerum 98, 116; viride 116

Physcia endochrysea 123; stellaris 123; tribacia 123

Physisporinus spissus 121 Physoderma 212; pluriannulatum 675 Phytophthora faberi 394, 433; infestans

Pichia 680; farinosa 708; membranaefaciens 703

Picoa 785 Pilacre 118

Pilobolus 116; crystallinus 116

Piptoporus betulinus 121 Piricularia 810; aquatica 814; caudata 814; euphorbiae 814; grisea 812, 813, 814; higginsii 810–814; parasitica 814; scripta 814; submersa 814

Plasmodiophora brassicae 300 Platygloea 100, 101, 797, 798; arrhytidiae

797; longibasidia 100, 103; pustulata 101; unispora 100; vestita 100, 104

Plectania 839 Pleomassaria siparia 212

Pleophragmia 689

Pleospora 184, 186, 196, 197, 198, 498, 500, 517; ambigua 187, 191, 198; andropogonis 520; aquatica 502, 505, 506, 507, 520; asymmetrica 521; aurea 510, 511, 512, 519; baccata 507, 508, 519; carphicola 509, 510, 520; collomiae 507; compressa 507, 508, 518; curvasca 510; diplospora 499, 509, 510, 511, 520; discillere 510; diplospora 499, 509, curvasca 510; diplospora 499, 509, 510, 510, 510, 520; dissiliens 510; elynae 515, 520, 521; heleocharidis 511; herbarum 185, 186, 510, 516; heterospora 516; **ipomoeae** 502, **504**, 505; juncicola 512, 513, 517, 520; kansensis 505; macrospora 504, 521, 522; malacospora 501, 502, 505, 506, 519; media 508; njegusensis 188, 191–199; digomera 510; pentamera 500, 510. oligomera 510; pentamera 500, 510, 511, 519; permunda 507-511, 517-520; planispora 500, 511, 512, 520; pulchra 517; quadriseptata 510, 511, typhicola 502-505; utalensis 507, 508, 518; vagans 196; vulgaris 505, 508
Pleurage 689, 690; tetrasperma 680; inaequilateralis 689; neglecta 689;

setosa 689

Pleuroceras 654; cryptoderis populi 653, 655, 656, 658

Pleurotus 126; applicatus 119; ostreatus 119, 678, 695, 698

Plicatura faginea 119 Pluteus 129; leoninus 119; umbrosus 119

Podospora 689

Polyblastiopsis lactea 123 Polyporus 117, 120, 121, 122, 496, 685, 686, 687; adustus 677; albellus 122; o86, o87; adustus o77; albellus 122; albelluteus 677; arcularius 695; distortus 693, 695, 697; elatus 491; elegans 121, 677; exotephrus 496; hartigii 492, 494; hyperboreus 492; gilvus 695, 697; kermes 490, 492; laevigatus 492; leucospongia 677; licnoides 496; montagnei 229; montagnei v. greenei 232; montagnei v. greenei 232; montagnei v. greenei 232; mortagnei v. greenei v. greenei 232; mortagnei v. greenei 232; mortagnei v. greenei v. g montagnei 232; nicaraguensis 493; novae-angliae 493; peckianus 121; perennis 231, 677; piccinus 493, 494; picipes 121, 677; porrectus 494; pubescens 695, 697; rhabarbarinus 494; sclerodermus 492, 495; sclerodes 495; scleromyces 495; spumeus v. malicola 121; sulfureus 467; tulipiferae 122, 687; ursinus 675, 677; versicolor 467, 468, 675, 695, 698; viticola

Polystictus sect. Perennes 229; obesus 229, 231

Poria 120, 121, 122, 686; cocos 234; isabellina 492, 496; microspora 467, 468; mutans 121; punctata 494; reticulata 121; subacida 121; versipora 121; xantha 677

Porodaedalea 488

Poronidulus conchifer 121

Porothelium 121, 686

Propolis faginea 118

Prospodium 354, 356; sect. Cyathopsora 356; cumminsii 356; garcesii 356

Protomyces 217; muscorum 211; pithyophilus 215; xylogenus 209, 216, 217

Psalliota perrara 112

Psathyrella 128; spadicea 678 Pseudobalsamia 789; microspora 788, 789, 790

Pseudocamptoum 815

Pseudogenea 787

Pseudoguignardia 819; scirpi 818, 819,

Pseudogymnoascus 638; vinaceus 637,

Pseudohydnum gelatinosum 118

Pseudoplectania 837; nigrella 675 Psilocybe atrobrunnea 119; coprophila

678 Psilonia apolospora 58; gilva 805; rosea 805

Psilopezia aquatica 118 Puccinia 354, 357, 538, 539, 737-743; 748, 755, 759; sect. Bullaria 738, 741; sect. Eupuccinia 738; absinthii 676; acetosae 739; agropyri 541; albulen-sis 676; aletridis 739; alternans 541; ammophilae 540; ammophilina 540; andropogonis 752; andropogonis v. pustulata 752; antirrhini 740, 743; arenariae 540; arnicalis 676; rhenatheri 541; arthraxon-ciliaris 538; atrofusca 676; ballotaeflorae 354; balsamorrhizae 676, 741; baphiae 539; bistortae 676; butleri 227; cacao 222; calochorti 676; caricis 118, 751, 752; caricis v. grossulariata 676, 752; caricis-shepherdiae 676; caulincola 540; circaeae 118; cirsii 676; chondrillina 739; conspersa 354; coronata 540, 541, 676, 737, 752; coronata v. bromi 676; coronata v. calamagrostis 676; crandallii 676; cynodontis 541; cypripedii 739; digitariae-velutinae 539; erianthicola 538; expansa 676; extensicola 739, 831; extensicola v. asteris 752; extensicola v. oenotherae 752; extensicola v. valerianae 676; eutremae 756; festucae 540; flaccida

355; gentianae 676; gibberosa 540; graminis 752; grindeliae 676; hark-nessii 739; helianthi 741, 752, 831; helianthellae 741; heucherae 118, 676, 739; heucherae v. saxifragae 746, 748; hieracii 355, 676, 739, 743; impedita 354; jonesii v. jonesii 676; kawandensis 538; ligustici 676; madritensis 541; malvacearum 118, 756; mariaewilsoni 752; menthae 676; millefolii 742; minussensis 227; monoica 676; obscura 739; oudemansii 756; palmeri 676; paramensis 354; pazschkei 739; persistens 541; phragmites 541; poae-sudeticae 83, 84, 676, 679; podo-phylli 747, 748, 749, 752; polygoniphylli 747, 748, 749, 752; polygoni-amphibii 676; polygoni-amphibii v. persicariae 752; praegracilis 737; proserpinacae 739; prostii 749; pseu-docesatii 538; pseudocymopteri 676; ptarmicae 742; punctata 739; rangi-ferina 737; rubigo-vera 84; rubigovera v. agropyri 676; rubigo-vera v. agropyrina 118; rubigo-vera v. apocrypta 676; rubigo-vera v. impatientis 752; rubsaameni 540; sessilis 541; soledadensis 354; stipae 676; subcentripora 224; trealeasiana 676; triticina 541; tumidipes 260; vagans v. epilobii-tetragoni 676; violae 118, 122, 676, 752; virectae 539; volkartiana 737

Pucciniastrum 538; agrimoniae 118; areolatum 538; goeppertianum 676; pyrolae 676

Pullularia 289, 290

Pulveroboletus retipes 119 Pycnoporus cinnabarinus 121

Pycnostysanus 638; resinae 641 Pyrenophora ipomocae 5044, 519; scirpi-

cola 506; typhicola 503

Pyropolyporus 488; abramsianus 490, 494; bakeri 490, 494, 495; calkinsii 490, 494, 495; cinchonensis 488, 490, 495; crustosus 488, 491, 494; haematoxyli 488, 492, 494; robinsoniae 488, 494, 497; texanus 488, 494, 496

Pythiogeton 702

Pythium 641, 763; debaryanum 467; myriotylum 770; spinosum 763; ultimum 764

Radulum orbiculare 121; radula 121 Ramularia 677, 813, 814; brunnea 122; castillejae 679; cercosporioides 679; senecionis 679; tulasnei 122, 679

Ramulispora 78 Ravenelia 355 Rhipidium 702

Rhizina undulata 839

Rhizoctonia 122; solani 466, 467

Rhizopus 643, 645, 681; arrhizus 641; nigricans 467, 641, 680 Rhodophyllus 119, 129; byssisedus 678

Rhodotorula 14, 289, 290

Rhynchosporium orthosporum 80, 84, 85, 679; secalis 85 Rhytisma acerinum 118; andromedae

118 Rinodina milliaria 123; sophodes 123 Rosellinia clavariae 117; mammiformis

117; subiculata 117

Russula 117, 127, 128, 129; delica 678; densifolia 678; emetica 678; fallax 678; firmula v. cinnamomicolor 132; virescens 119

Rutstroemia 118; macrospora 118

Saccharomyces 49, 50, 710, 713; cerevisiae 263, 680, 708; chevalieri 708, 711–720; mangini 708 Saccharomycodes 710, 716; ludwigii 708,

711, 716, 719, 720

Saccobolus kerverni 118 Saksenaea vasiformis 641, 643

Sapromyces elongatus 394, 702; reinschii

Sarcodon murrillii 121

Sarcoscypha coccinea v. coccinea 839; occidentalis 839

arcosoma 840

Schizophyllum commune 119, 467, 468, 469, 481, 695

Schizosaccharomyces 49, 50, 710; pombe 708, 710, 711, 712, 716, 717, 719

Schizothecium 638, 641, 644; fimicola 641

Schizothyrium 16 Schwanniomyces 46

Scleroderma 527; aurantium 120; bovista 120; chrysastrum 528, 529; endoxan-thum 527; luteum 527, 528; lycoperdoides 120; vulgare v. novaguieense 527

Sclerotinia bifons 675; minor 694; trifoliorum 800

Sclerotium 209, 211, 675; applanatum 211, 219

Scodellina alutacea 118

Scolecotrichum graminis 84, 679

Scopulariopsis 159; brevicaulis 680 Sebacina 798; epigaea 118; eyrei 118; incrustans 118; podlachica 118

Selenophoma donacis 679; donacis v. stomaticola 84, 679; everhartii 679 Sepedonium 680; chrysospermum 116

Septogloeum oxysporum 84, 85, 679; rhapaloideum 652, 655, 658

Septonema pallidum 122

Septoria agropyrina 81, 82; andro-pogonis 79; avenae 80, 679; brunellae 122; calamagrostidis 679; cornicola

122; heraclei 679; infuscans 82; jaculelia 81; macropoda 80, 82; macropoda v. grandis 79; macropoda v. septulata 79; macropoda f. sitadakaensis 79; microspora 82; nodorum 82, 679; osmorhizae 679; oudemansii 82, 83, 84; pacifica 81, 82; passerinii 81, 83; solidaginicola 122; tenella 81 Serpula americana 121; lacrimans 121

Sistotrema confluens 121 Solenia 686, 687; anomala 677; candida 121; fasciculata 121; ochracea 121 Sordaria 689, 690; fimicola 255; leporina

689; ontariensis 689

Sorosphaera veronicae 300 Sorosporium granulosum 259

Spegazzinia 816 Sphaceloma 58, 346; plantaginis 122 Sphaeria sect. Cordyliae 248; sect.

Periphericae trib. Cordyceps 248; aurea 519; militaris 251, 252; per-munda 507, 521, 522; scirpi 521; scirpicola 506, 507; typhaecola 503

Sphaerobolus stellatus 120 Sphaerographium fraxini 122

Sphaeronema 122

Sphaerophragmium millettiae 539; monodorae 539

Sphaerosoma 791

Sphaerosporium 215, 216; lignatile 209, 211, 212, 214, 216-219

Sphaerotheca humuili 117; macularis

117; macularis v. fuliginea 675 Spicaria 321, 322, 323, 327, 332, 637, 641, 679; violacea 320, 321, 323, 327, 331, 641

Sporidesmium concinnum 122; larvatum 122; nitens 122; peziza 122

Sporobolomyces 680 Sporodinia grandis 116

Sporophleum 819; gramineum 819, 821 Sporormia 638, 689; minima 641; petasoniformis 690

Sporoschisma insigne 122; mirabile 122 Sporotrichum 323, 327; agaricinum 122; schenkii 289, 290, 291

Stachybotrys cylindrospora 641; lobulata 641

Stagonospora arenaria 82

Steccherinum laeticolor 121 Steirochaete graminicola 58

Stemonitis axifera 97, 116; fusca 97, 116; nigrescens 97; smithii 97; splendens 97; webberi 97

Stemphylium botryosum 641

Stephanoma strigosa 123 Stereocaulon 339, 344; coralloides 339, 343; denudatum 343; nesaeum 339, 340, 342, 343, 344; paschale 339, 343; subcoralloides 343

Stereum 121; cinerascens 121; complicatum 121; fasciatum 121; frustulatum 121; hirsutum 677; purpureum 121; rameale 121; roseocarneum 121; rufum 121, 677; rugisporum 677; sanguinolentum 121, 677; striatum 121

Sterrebeellia 251

Stigmatea robertiana 117; rubicola 117 Streptomyces 16, 19, 21, 22, 733, 734; albo-niger 16, 17, 19-22; albus 21; canescens 263; gougeroti 21; griseocarneus 20, 22; griseus 264; noursei 264; rimosus 264; verne 21

Strobilomyces 125; confusus 119; floc-

copus 119

Stromatoscypha fimbriata 121 Stropharia 131; semiglobata 678

Stypella minor 118

Stysanus 638; medius 641

Suillus americanus 119, 678; brevipes 678; elegans 119; granulatus 678; luteus 678; punctipes 119; tomentosus 678

Syncephalastrum 467; racemosum 641,

Synchytrium 212, 293, 675; subg. Chrysochytrium 296, 305; subg. Eusynchytrium 296, 297, 298, 305; subg. Leucochytrium 298; subg. Microsynchytrium 306, 308; subg. Pycnochytrium 296, 297, 298, 305; subg. Microsynchytrium 306, 308; subg. Pycnochytrium 296, 297, 298, 305; subg. Woroninella 298, 310; aecidioides 116, 300, 304; alpinum 305, 309; amsinckeae 293, 299, 309; anemones 299, 302, 303, 304, 306; anomalum 299, 303, 305, 306, 309; atylosiae 309; auranticum 299, 303; aureum 296, 304, 306, 308, 310, 675; aureum f. alpicola 307, 308; aureum f. drabae 308; aureum f. galli 308; aureum f. infestans 306, 308; aureum f. vulgatum 307, 308; aureum v. saxifragae 299; australe 306, 529; bignoniae 298; borreriae 299; callicarpae 298; cellulare 294; cookii 293, 295, 304; cupulatum 296; dendriticum 295; endobioricum 293; 294, 295, 299–310; fulgens 299, 300, 304, 309; gei 308; geranii 293, 295, 303, 304; globosum 296, 304, 305, 306; holwayi 299, 307; incrassans 306; indicum 295; johansonii 299; laetum 299, 305, 306; langloisii 530; lepidii 299; longispinosum 300, 302; mercurialis 294, 299, 303, 304; minthellae 298; modioliense 294, 299, 304, 310, 529; myosotidis 293, 298, 299, 306; niesselii 306; nyctanthidis 299; oxali-

dis 293, 295, 304; papillatum 293, 299, 309; pilificum 294, 298; potentillae 293, 298, 308; psophocarpi 309; punctatum 298, 299, 306; pyriforme 299, 303; rubrocinctum 299, 303; rugulosum 303, 306; rytzii 306; selaginellae 306; sesamicola 293; stellariae 307; stereospermi 294, 298; succisae 304, 309; taraxaci 299, 300, 304, 309; trachelospermi 298; trichophilum 293, 298, 299; ulmariae 299; vaccinii 293; viride 303; vulcanicum 295; wurthii 306; zygogonii 300, 302

Syzygites megalocarpus 116

Tapesia 118
Taphrina 14, 721, 759; americana 722; betulina 722, 726; caerulescens 117, 721, 722, 723, 726; carnea 723; cerasi 723, 726; communis 723, 724, 726, 727; confusa 724, 726, dearnessii 724; deformans 260, 724, 726, 727; epiphylla 724; farlowii 724; flavorubra 724, 726, 727; johansonii 724, 726, 727; lapponica 722, 726; letifera 725; nana 725, 726; polystichi 725, 727; populina 725, 726, 727; populina 725, 726; pruni-subcordatae 725; purpurascens 725; robinsoniana 117, 721, 725, 726, 727; sacchari 725; sadebeckii 721; tosquinetii 725; turgida 722, 726; ulmi 725, 726, 727; virginica 726

Tetracoccosporium paxianum 637, 641

Thamnidium elegans 680

Thecaphora 754

Thelephora 121; caryophyllea 121, 677; regularis 121; terrestris 121; sericea 121

Thielavia 638; terricola 641 Thielaviopsis basicola 641

Thraustotheca 394

Tilachlidium 321, 322, 327; tomentosum v. ovalisporum 123

v. ovanisporum 125 Tilletia 238, 747; airae 238; asperifolia 238; brevifaciens 238; caries 238, 241; cerebrina 238, 677; elymi 238, 240, 241, 243, 244, 677, 746; foetida 238

Titaeospora 78; detospora 78 Tolyposporium 759; bullatum 754

Tomentella 122; biennis 121; botryoides 121; ferruginea 121; ferruginosa 677; fusca 121; fusco-ferruginosa 121; mucidula 121; olivascens 121; pallidofulva 122; pannosa 122; spongiosa 122; subferruginea 122; tristis 122

Torrubiella arachnophila v. leiopus 117 Torula lipofera 12; uniformis 123; utilis

Torulopsis 721: lipofera 12

Trametes 686; carbonaria 488, 492; gausapata 488, 492; gilvoides 492; heteromorpha 122; lactea 122; setosa 496; tenuis 121

Tranzschelia fusca 747, 748, 755 Trechispora 798; brinkmanni 122

Tremella reticulata 118; subanomala 119

Tremellodendron candidum 119; merismatoides 119

Triangularia 689

Trichella helocharei 571

Trichia affinis 97; botrytis 116; favoginea 116; persimilis 116; scabra 116; subfusca 116; varia 116, 675; verrucosa 116

Trichocladium asperum 641

Trichoconis 814; caudata 814 Trichoderma 467, 643; glaucum 320, 321, 323, 327; koningi 323, 641, 643; lignorum 323, 327, 641, 643, 694, 696; viride 123

Trichoglossum 586, 612; confusum 613, 615, 616, 617; durandii 613; farlowii 118, 587, 588, 613-616, 626, 627, 840; gracile 618; hirsutum 118, 122, 587, 588, 601, 612, 613, 618, 620, 622, 625, 628, 629; hirsutum f. hirsutum 623; hirsutum f. variabile 622, 677; hir hirsutum f. variabile 622, 627; hirsutum f. wrightii 622, 629; hirsutum v. heterosporum 620, 621, 623; hirsutum v. sutum v. hirsutum 615, 618, 619, 620, 623; hirsutum v. irregulare 615, 619, 620, 623; hirsutum v. longi-sporum 619, 621, 623; hirsutum v. multiseptatum 620, 621, 623; kunmingense 617; longisporum 619, 622, 625; octopartitum 613, 615, 616, 617; persoonii 623; rasum 588, 613, 614, 624, 629, 630, 631; rehmianum 617, 618; tetrasporum 612, 613, 623, 624, 625; tetrasporum v. brevisporum 625; tetrasporum v. **yunnanense 625**; variabile 587, 588, 613, 614, 621, 624, 627, 628, 629; velutipes 587, 588, 612, 625; 613, 614, 624, 625, 626, 627, 629, 631; walteri 118, 613, 615, 616, 617, 618, 624; wrightii 587, 588, 613, 624, 629, 630, 631; yunnanense 625

Tricholoma 691, 699; elytroides 127; flavovirens 678; imbricatum 678, 699; personatum 119; saponaceum 213; sejunctum 119; terreum 119

Trichophaea abundans 839; pseudogregaria 118

290, 291; verrucosum 10, 11, 680;

verrucosum v. album 10; verrucosum v. discoides 10; verrucosum v. ochraceum 10; verrucosum v. verrucosum 10

Trichosphaeria 638, 641; solaris 675 Trichosporium 641

Trogia crispa 119 Tuber 117; lindsalei 787

Tubercularia 123; ciliata 805; vulgaris

Tabifera microsperma 96

Tulasnella 798; bifrons 119; prvinosa 119

Tureenia 819; juncoidea 819, 820 Tylopilus felleus 119 Tympanis pinastri 675

Typhula 86; itoana 86 Tyromyces chioneus 122

Uncinula flexuosa 117 Uredinopsis 538; mirabilis 118 Uredo 354; acori 828, 829, 830, 832, 833, 835; archeriana 354; bosquiae 539; diocleae 357; diocleicola 357; diplostephii 356; markamiae 539; new-bouldiae 539; oleariae 356, 357; salviarum 354

satviarum 354 Urocystis 72, 754; agropyri 677; cepulae 259; fraseri 259; violae 259 Uromyces 354, 539, 541, 737, 738, 739, 740, 743, 759; acantholimonis 739; acori 829-835; aemulus 676; armeriae 739; armeriae ssp. pacificus 739; aspiliella 539; caladii 118, 752; caryophyllinus 541; coluteae 539; dolicholi 355; fabae 737, 743, 748, 752; genistae-tinctoriae 541; heterodermus 676; hyperici 824, 832, 834; intricatus 676; jonesii 676; junci 677; lapponicus 677; lereddei 539; lespedezae-procumbentis 740; limonii 739; limonii-carolinianae 739; loti 541; mangenoti 539; medi-739; loti 541; mangenoti 539; medicaginis 356; minor 677; perigynius 739; pisi 541; punctatus 677; pyriformis 823, 827, 828, 829, 830, 832, 835; silphii 739; sparganii 823, 827–832, 834, 835; sparganii ssp. sparganii 833; spragueae 746; statices-sinensis 739; striatus 355, 541; striatus medicaginis 356; trifolii 677; verruculosus 540; zwadeni 677

540; zygadeni 677 Ustilago 747, 750; hypodytes 668, 669; jacksonii 677; maydis 244; parlatorei 744; piperii 746; striiformis 677; williamsii 259; zeae 151, 152, 155

Ustulina vulgaris 117

Vararia granulosa 677; investiens 122 Vermicularia 58; culmigena 58; holci 58; lolii 58; polytricha 53; sanguinea 58; truncata 53

Verticillium 213, 289, 290, 323, 327, 641; albo-atrum 694, 696; tenuissimum 123; terrestre 641

123; terrestre 641 Volutella 323, 327, 800; ciliata 800, 801, 805, 806, 808; colletotrichoides 801, 803, 806, 807, 808; colletotrichoides v. setosa 801, 808; flexuosa 800; gilva 800, 801, 805, 806, 808; indica 800 Vuilleminia 798

Willia 46; anomala 48 Williopsis 46 Wynnea americana 118 Xenolachne flagellifera 119 Xeromphalina campanella 119, 678 Xylaria hypoxylon 117; mali 117, 694; polymorpha 117, 122 Xyloma caricinum 822

Zignoella diaphana v. soluta 675 Zundelulua fimbristylidis 749 Zygopichia chevalieri v. fermentati 708 Zygorhynchus 360, 680, 681; vuilleminii 323 Zygosaccharomyces 46